Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	2	"6731335".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 11:51
L5	37	(reset adj1 transistor) with controll\$3 with output with signal	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 11:54
L6	84755	imag\$3 adj1 sens\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 11:51
L7	19	(camera or 6) and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:19
L8	0	(reset adj1 transistor) with controll\$3 with accordance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 11:54
L9	0	(reset adj1 transistor) with control\$5 with accordance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 11:55
L10	37	(pixel adj1 (signal or level)) with reset with control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 11:55
L11	24	(camera or 6) and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 11:55
L12	19	(signal adj1 level) with output with rest\$3 with control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 11:59
L13	1	(camera or 6) and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:00
L14	57	(reset adj1 transistor) with feedback	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:06
L15	31	(camera or 6) and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:10

L16	1393	(reset) with feedback with control\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	OFF	2005/05/30 12:06
L17	81	(camera or 6) and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:08
L20	0	(resest near2 (gate or electrode)) with (level or signal) with output	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:19
L21	3141	(reset near2 (gate or electrode)) with (level or signal) with output	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:10
L22	16	(reset near2 (gate or electrode)) with (pixel adj1 (level or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:10
L23	9	(camera or 6) and 22	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:12
L24	905	(reset near2 (gate or electrode)) with (output adj1 (level or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:19
L25	103	(camera or 6) and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:19
L26	3141	(reset near2 (gate or electrode)) with (level or signal) with output	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:19
L27	392	(camera or 6) and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:19
L31	20	((reset adj1 transistor) near2 ((control\$4) or ("on" near1 "off"))) with (output near2 (level or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:22
L33	1348	(camera or 6) and \$1MOS and (reset adj1 transistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	OFF	2005/05/30 12:22

L34	11	31 and 33	US-PGPUB; USPAT;	OR	OFF	2005/05/30 12:22
			EPO; JPO; DERWENT			
L35	546	348/294.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:27
L36	353	348/302.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	OFF	2005/05/30 12:27
L37	650	348/308.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:27
L38	792	348/207.99.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:27
L39	2604	250/208.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:27
L40	611	257/291.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:27
L41	696	257/292.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/30 12:27
S1	2	"6731335".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:09
S2	243476	(imager or (imag\$3 adj1 (sens\$3 or pick\$1up or device or array or apparatus)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:10
S3	148755	output near2 (line or column)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:11
S4	12808	(reset near2 gate) or (reset near2 control\$3 near2 electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:15

S5	82	S3 with connect\$3 with S4	US-PGPUB;	OR	OFF	2005/05/07 15:12
-	<u> </u>		USPAT; EPO; JPO; DERWENT			255,55,57
S6		S2 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:12
S7	500	(reset near2 gate near2 electrode) or (reset near2 control\$3 near2 electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:17
S8	0	S7 near3 S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:15
S9	49	S7 near3 output	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:15
S10	304	reset near4 output near4 feedback	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:17
S11	21	S2 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:18
S12	12742	reset near2 gate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:18
S13	0	S12 with (pixel near2 output) with var\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:19
S14	61	S12 with (output) with var\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:20
S15	14	S2 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:19
S16	894	(reset near2 (pulse or signal or control\$3)) with (output) with var\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:23

S17	63	S2 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF -	2005/05/07 15:21
S18	137	(reset near2 (pulse or signal or control\$3)) with (pixel adj1 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:23
S19	115	S18 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:23
S20	1066	(gate near2 reset) near4 connect\$3 near4 (signal or output)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:25
S21	139	S2 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/07 15:25